



SAFETY DATA SHEET

ProChemOnline.com



SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: **Barium Tungstate**
PRODUCT NUMBER: 1230
CAS NUMBER: 7787-42-0
SYNONYMS: Tungstic acid, barium salt, Barium wolframate, Barium tungsten oxide

MANUFACTURER:

Prochem, Inc.
826 Roosevelt Road
Rockford, IL 61109

PHONE: 815-398-1788
FAX: 815-398-1810
TOLL FREE: 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE OR MIXTURE

Pictogram



Signal Word

Warning

Hazard Statements

H302+H332	Harmful if swallowed or if inhaled.
-----------	-------------------------------------

Precautionary Phrases

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.

HMIS CLASSIFICATION:

Health: 2 Fire: 0 Reactivity Hazard: 0

NFPA RATING:

Health: 2 Flammability: 0 Reactivity Hazard: 0

EYE CONTACT: May cause slight to mild irritation of the eyes.

SKIN CONTACT: May cause slight to mild irritation of the skin.

INHALATION: May be irritating to the nose, mucous membranes, and respiratory tract.

SECTION 2 HAZARDS IDENTIFICATION (Cont.)

INGESTION: Ingestion of small amounts not likely to cause harmful effects.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Formula: BaWO₄

Molecular Weight: 385.16

CHEMICAL NAME	CAS#	%
Barium Tungstate	7787-42-0	100

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

SKIN EXPOSURE: Wash affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove victim to fresh air. Closely monitor the victim for signs of respiratory problems such as difficulty in breathing, coughing, wheezing, or pain. In such cases, seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: Not applicable

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Use fire fighting measures that suit the surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Barium oxide and tungsten oxide

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation. Avoid the formation of dust. Avoid breathing vapors, mist, gas, or dust.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allowing to be released into the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Mix spills with powdered sodium carbonate or ground lime. Sweep up and place in suitable container for proper disposal.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Use with adequate ventilation. Avoid formation of dusts and aerosols.

CONDITIONS FOR SAFE STORAGE: Store in cool, dry, and well-ventilated area.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS:

Component	Exposure Limits	Basis	Entity
Barium tungstate	0.5 mg/m ³	TLV	ACGIH
	5 mg/m ³	TLV (Tungsten compounds)	ACGIH
	0.5 mg/m ³	PEL	OSHA

TLV: Threshold Limit Value over 8 hours of work.

PEL: Permissible Exposure Limit

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION (Cont.)

EYE PROTECTION: Wear chemical safety glasses or goggles and face shield.

SKIN PROTECTION: Wear nitrile or rubber gloves, and a complete suit protecting against chemicals.

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator.

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: Off-white powder

ODOR: None

MOLECULAR WEIGHT: 385.1776

BOILING POINT: No data available

MELTING POINT: No data available

SPECIFIC GRAVITY: 5.04 gm/ml

VAPOR DENSITY: No data available

SOLUBILITY: Insoluble

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: None

INCOMPATIBILITY: Strong oxidizing agents

DECOMPOSITION PRODUCTS: Barium oxide and tungsten oxide

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: Not available

CARCINOGENIC EFFECTS: No components of this product present at levels greater than or equal to 0.1% is identified a carcinogen.

MUTAGENIC EFFECTS: Not available

TETRAOGENIC EFFECTS: Not available

CHRONIC TOXICITY: Not available

RTECS: No data

Acute Barium poisoning may cause: a slow, hard pulse and elevated blood pressure; excessive salivation; vomiting; colic; violent diarrhea; convulsive tremors; muscular paralysis of the central nervous system; strong vasoconstriction, due to the direct barium stimulation of arterial muscles, raises blood pressure. High blood pressure can cause the stomach, intestines, and kidneys to hemorrhage. Chronic barium poisoning is similar but less severe than acute barium poisoning.

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 ECOLOGICAL DATA

No information available

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in according to local, state, and federal regulations.

SECTION 14 TRANSPORTATION DATA

Not a dangerous good.

SECTION 15 REGULATORY INFORMATION

TSCA: Listed in the TSCA inventory

SARA 302/304: Not Listed

SARA 311/312: Acute Health Hazard

SARA (TITLE 313): Barium tungstate

CALIFORNIA PROP. 65: Not Listed

MASSACHUSETTS RIGHT TO KNOW COMPONENTS: No components are subject to the Massachusetts Right to Know Act.

NEW JERSEY RIGHT TO KNOW COMPONENTS: Barium tungstate

PENNSYLVANIA RIGHT TO KNOW COMPONENTS: Barium tungstate

SECTION 16 OTHER INFORMATION

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Prochem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 05/15

SDS DEPT.