



SAFETY DATA SHEET

ProChemOnline.com



SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: **Cesium Hydroxide, 50% Solution**

PRODUCT NUMBER: 1453

CAS NUMBER: 21351-79-1

MANUFACTURER:

ProChem, Inc.
826 Roosevelt Road
Rockford, IL 61109

PHONE: 815-398-1788
FAX: 815-398-1810
TOLL FREE: 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE OR MIXTURE

Pictogram



Signal Word

Danger

Hazard Statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Precautionary Phrases

P264	Wash skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P633	Wash contaminated clothing before reuse.

HMS CLASSIFICATION:

Health: 3 Fire: 0 Reactivity Hazard: 0

NFPA RATING:

Health: 3 Flammability: 0 Reactivity Hazard: 0

SECTION 2 HAZARDS IDENTIFICATION (Cont.)

EYE CONTACT: Causes severe burns, irritation of the eyes, and could cause permanent damage to cornea.

SKIN CONTACT: Causes burns to skin.

INHALATION: Causes severe burns to respiratory system.

INGESTION: Causes severe burns to digestive system.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS#	%
Cesium Hydroxide	21351-79-1	50
Water	7732-18-5	50

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

SKIN EXPOSURE: Wash affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove to fresh air and keep at rest. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases, seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: Product is not flammable.

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Use firefighting measures that suit the surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Fumes of corrosive and toxic cerium oxide.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation. Avoid the formation of dust. Avoid breathing vapors, mist, gas, or dust.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allowing to be released into the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Isolate spillage. Do not activate any potential ignition source until area has been determined to be free from fire and or explosion potential. Absorb spill with inert material and dispose of according to all disposal regulations.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wear appropriate personal protective equipment. Use with adequate ventilation. Avoid contact with skin and eyes. Avoid formation of dust. Handle under inert gas.

CONDITIONS FOR SAFE STORAGE: Store in cool, dry, and well-ventilated area. Store under inert gas. Store away from air and acids. Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS:

Component	Exposure Limits	Basis	Entity
Cesium Hydroxide Solution	2 mg/m ³	TWA	ACGIH

TWA: Time Weighted Average over 8 hours of work.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION (Cont.)

EYE PROTECTION: Wear chemical safety glasses or goggles and face shield.

SKIN PROTECTION: Wear nitrile or rubber gloves, apron, or lab coat.

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator.

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: Clear liquid

ODOR: None

MOLECULAR WEIGHT: Not available

BOILING POINT: 237° C

MELTING POINT: No data available

SPECIFIC GRAVITY: 1.72

VAPOR DENSITY: No data available

SOLUBILITY IN WATER: Fully miscible

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Excessive temperatures.

INCOMPATIBILITY: Strong acids, carbon dioxide, ammonia salts, and non-ferrous metals.

DECOMPOSITION PRODUCTS: Fumes of corrosive and toxic cerium oxide.

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: LD50 Oral – rat – 1026 mg/kg.

CARCINOGENIC EFFECTS: No components of this product present at levels greater than or equal to 0.1% is identified a carcinogen.

MUTAGENIC EFFECTS: Not available

TETRAOGENIC EFFECTS: Not available

RTECS: Not available

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 ECOLOGICAL DATA

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in according to local, state, and federal regulations.

SECTION 14 TRANSPORTATION DATA

UN2681

Caesium hydroxide solution

Class 8

PG II

Marine Pollutant: No

SECTION 15 REGULATORY INFORMATION

TSCA: Listed in the TSCA inventory

SARA 302/304: Not listed

SARA 311/312: Acute Health Hazard

SARA (TITLE 313): Not listed

MASSACHUSETTS RIGHT TO KNOW: Caesium hydroxide

PENNSYLVANIA RIGHT TO KNOW: Caesium hydroxide, Water

NEW JERSEY RIGHT TO KNOW: Caesium hydroxide, Water

CALIFORNIA PROP. 65: Not Listed

SECTION 16 OTHER INFORMATION

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, ProChem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE REVISED: 02/24

SDS DEPT.