

SAFETY DATA SHEET

ProChemOnline.com



SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: Lanthanum (III) Nitrate Hexahydrate

PRODUCT NUMBER: 2149

CAS NUMBER: 10277-43-7

SYNONYMS: Nitric acid, lanthanum(3+) salt, hexahydrate

MANUFACTURER:

 Prochem, Inc.
 PHONE:
 815-398-1788

 826 Roosevelt Road
 FAX:
 815-398-1810

 Rockford, IL 61109
 TOLL FREE:
 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE OR MIXTURE

Pictogram



Signal Word **Danger**

Hazard Statements

H272	May intensify fire; oxidizer.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary Phrases

P210	Keep away from heat.		
P220	Keep/store away from clothing/combustible materials.		
P221	Take any precaution to avoid mixing with combustibles.		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P302+P352	IF ON SKIN: Wash with plenty of soap and water.		
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
P305+P351+P338	IF IN EYES: Rinse cautiously with waster for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.		
P362	Take off contaminated clothing and wash before reuse.		
P370+P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		

LANTHANUM (III) NITRATE PAGE 1

SECTION 2 HAZARDS IDENTIFICATION (Cont.)

HMIS CLASSIFICATION:

Health: 2 Chronic:* Fire: 0 Reactivity Hazard: 2

NFPA RATING:

Health: 2

Flammability: 0 Reactivity Hazard: 2 Specific Hazard: OX

EYE CONTACT: May cause slight to mild irritation of the eyes. **SKIN CONTACT:** May cause slight to mild irritation of the skin.

INHALATION: May be irritating to the nose, mucous membranes, and respiratory tract.

INGESTION: Ingestion may lead to dizziness, abdominal cramps, vomiting, bloody diarrhea, weakness, and convulsions.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Formula: La(NO₃)₃ •6H₂O

Molecular Weight: 433.01

CHEMICAL NAME	CAS#	%
Lanthanum (III) nitrate hexahydrate	10277-43-7	100

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

SKIN EXPOSURE: Wash affected area with plenty of water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove to fresh air and keep at rest. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases, seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: Not available

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Use carbon dioxide, extinguishing powder, or foam. Water may be ineffective by may be used for cooling

exposed containers.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing,

including eye protection and boots. Contact with combustible material may cause fire.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Nitrogen oxides and lanthanum oxides

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation. Avoid the formation of dust. Avoid breathing vapors, mist, gas, or dust. This substance is an oxidizer and can reduce the ignition temperature of flammable substances. Its heat of reaction with reducing agents or combustibles may cause ignition.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allowing to be released into the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Mix spills with vermiculite of sodium carbonate. Sweep up and place in suitable container for proper disposal.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Use with adequate ventilation. Avoid formation of dusts and aerosols. This substance is an oxidizer and can reduce the ignition temperature of flammable substances. Its heat of reaction with reducing agents or combustibles may cause ignition. Keep away from heat and sources of ignition – No smoking.

LANTHANUM (III) NITRATE PAGE 2

SECTION 7 HANDLING AND STORAGE (Cont.)

CONDITIONS FOR SAFE STORAGE: Store in cool, dry, and well-ventilated area. Store away from flammable substances, reducing agents, organic materials, and metal powders.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS: Contains no substances with occupational exposure limit values.

EYE PROTECTION: Wear chemical safety glasses or goggles and face shield.

SKIN PROTECTION: Wear nitrile or rubber gloves, and a complete suit protecting against chemicals.

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator.

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and

handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: White crystal

ODOR: None

MOLECULAR WEIGHT: 433.01 BOILING POINT: 126° C MELTING POINT: 40°C

SPECIFIC GRAVITY: No data available VAPOR DENSITY: No data available

SOLUBILITY: Soluble

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Contact with strong reducing agents or organic matter. Some nitrates can explode if heated to high

temperatures.

INCOMPATIBILITY: Strong acids, flammable substances, reducing agents, organic materials, metal powders, phosphorous, and

sulfur.

DECOMPOSITION PRODUCTS: Nitrogen oxides and lanthanum oxides

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: LD50 Intraperitoneal – rat – 410mg/kg.

CARCINOGENIC EFFECTS: No components of this product present at levels greater than or equal to 0.1% is identified a carcinogen.

MUTAGENIC EFFECTS: Not available TETRATOGENIC EFFECTS: Not available

RTECS: OE5250000

Prolonged or repeated exposure can cause: Blood disorders, aspiration or inhalation may cause chemical pneumonitis.

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 ECOLOGICAL DATA

No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in according to local, state, and federal regulations.

SECTION 14 TRANSPORTATION DATA

UN1477 Nitrates, inorganic, n.o.s. (Lanthanum nitrate) CLASS 5.1 PG II

Marine Pollutant: No

SECTION 15 REGULATORY INFORMATION

TSCA: Not listed in the TSCA inventory

SARA 302/304: Not Listed

SARA 311/312: Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

SARA (TITLE 313): Not Listed CALIFORNIA PROP. 65: Not Listed

MASSACHUSETTS RIGHT TO KNOW COMPONENTS: No components are subject to the Massachusetts Right to Know Act.

NEW JERSEY RIGHT TO KNOW COMPONENTS: Lanthanum(III) nitrate hexahydrate PENNSYLVANIA RIGHT TO KNOW COMPONENTS: Lanthanum(III) nitrate hexahydrate

SECTION 16 OTHER INFORMATION

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Prochem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 01/15

SDS DEPT.