



SAFETY DATA SHEET

ProChemOnline.com



SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: **Titanium (IV) Isopropoxide**

PRODUCT NUMBER: 3703

CAS NUMBER: 546-68-9

SYNONYMS: Isopropyl orthotitanate; Isopropytitanate (IV); Tetraisopropoxide Titanium. Tetraisopropyl orthotitanate

MANUFACTURER:

Prochem, Inc.
826 Roosevelt Road
Rockford, IL 61109

PHONE: 815-398-1788
FAX: 815-398-1810
TOLL FREE: 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE OR MIXTURE

Pictogram



Signal Word

Danger

Hazard Statements

H226	Flammable liquid and vapor.
H319	Causes serious eye irritation.

Precautionary Phrases

P210	Keep away from heat/sparks/open flames/hot surfaces. –No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.

HMIS CLASSIFICATION:

Health: 1 Fire: 2 Reactivity Hazard: 1

NFPA RATING:

Health: 1 Flammability: 2 Reactivity Hazard: 1

SECTION 2 HAZARDS IDENTIFICATION (Cont.)

EYE CONTACT: May cause eye irritation. May cause chemical conjunctivitis and corneal damage.

SKIN CONTACT: May cause irritation and dermatitis. May cause cyanosis of the extremities.

INHALATION: may cause respiratory tract irritation. Aspiration may lead to pulmonary edema. Vapors may cause dizziness or suffocation. May cause burning sensation in chest.

INGESTION: May cause gastrointestinal irritation with nausea, vomiting, and diarrhea. Ingestion of large amounts may cause CNS depression.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Formula: $Ti(OC_3H_7)_4$

Molecular Weight: 284.22

CHEMICAL NAME	CAS#	%
Titanium (IV) Isopropoxide	546-68-9	100

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Be sure to rinse under the eyelids. Get medical aid immediately.

SKIN EXPOSURE: Flush the skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention.

INHALATION: Remove to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention if necessary.

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention if necessary.

SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: 46°C

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Carbon dioxide, extinguishing powder, water spray, or alcohol resistant foam. Fight larger fires with water spray or alcohol resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Carbon oxides and titanium oxides

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation. Avoid breathing vapors, mist, or gas. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allowing to be released into the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Absorb spill with inert material such as vermiculite, sand, or earth. Then place in a suitable container for proper disposal.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wear appropriate personal protective equipment. Use with adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of mists or vapor. Flash-back possible over considerable distance. Container explosion may occur under fire conditions. Keep away from sources of ignition – No smoking. Take measures to prevent the build up of electrostatic charge.

CONDITIONS FOR SAFE STORAGE: Store in cool, dry, and well-ventilated area. Keep away from heat, sparks, and flame. Keep away from water. Store protected from moisture. Hydrolyses readily.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS: This product contains no substances with occupational exposure limit values.

EYE PROTECTION: Wear chemical safety glasses or goggles.

SKIN PROTECTION: Wear nitrile or rubber gloves, apron, or lab coat.

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator.

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: Colorless to pale-yellow liquid

ODOR: Not available.

MOLECULAR WEIGHT: 284.22

BOILING POINT: 232°C

MELTING POINT: 14-20°C

SPECIFIC GRAVITY: 0.955 gm/ml

VAPOR DENSITY: No data available

SOLUBILITY: Decomposes in water

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Ignition sources, excess heat, exposure to moist air or water.

INCOMPATIBILITY: Strong oxidizing agents, water, moisture, strong acids, and anhydrous hydrazine

DECOMPOSITION PRODUCTS: Carbon oxides and titanium oxides

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: LD50 Oral – rat – 7,236 mg/kg. LC50 Inhalation – rat – 4h – 7.78 mg/l. LD50 Dermal – rabbit - >15.5 g/kg. Draize

Test Eye – Rabbit – 20mg/24h moderate irritation. Draize Test Skin – rabbit – 500mg/24h mild irritaiton

CARCINOGENIC EFFECTS: No components of this product present at levels greater than or equal to 0.1% is identified a carcinogen.

MUTAGENIC EFFECTS: Not available

TETRATOGENIC EFFECTS: Not available

CHRONIC TOXICITY: Not available

RTECS: NT8060000

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 ECOLOGICAL DATA

No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in according to local, state, and federal regulations.

SECTION 14 TRANSPORTATION DATA

UN2413

Marine Pollutant: No

Tetrapropylorthotitanate

CLASS 3

PG III

SECTION 15 REGULATORY INFORMATION

TSCA: Listed in the TSCA inventory

SARA 302/304: Not Listed

SARA 311/312: Fire Hazard, acute health hazard

SARA (TITLE 313): Not Listed

PENNSYLVANIA RIGHT TO KNOW: Titanium (IV) Isopropoxide

NEW JERSEY RIGHT TO KNOW: Titanium (IV) Isopropoxide

CALIFORNIA PROP. 65: Not Listed

SECTION 16 OTHER INFORMATION

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Prochem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 10/14